

CASTER WHEEL



ISO 14001:2015



ISO 9001:2015



245



Manufactured by:

 **PT. DAE BAEK MACHINERY**

Jl. Beringin Plot F12/05 Delta Silicon II
Cibatu, Cikarang Selatan, Bekasi 17530

More Information:



newproject03@daebaek.co.id



021 2918 5124



www.ptdaebaek.com

경하중용 캐스터 / LIGHT DUTY CASTER

01

01 Series

TP4012

14Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)



inch(mm)



kg



mm



mm

-	TP4012R-01-PLY	1 1/4" (32)	9/16" (14)	PU	PLAIN	14	43	28
TP4012-01-PLY	-	1 1/4" (32)	9/16" (14)					
TP4012-01-PLY-SLB	-	1 1/4" (32)	9/16" (14)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP5040-01	60 x 30	44	M4(5/32")

경하중용 캐스터 / LIGHT DUTY CASTER

02

02 Series

TP4015-TP4020-TP4025

28Kg-40Kg-80Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



-	TP4015R-01-PLY	1 1/2" (40)	23/32" (18)	PU	PLAIN	28	54	40
TP4015-01-PLY	-	1 1/2" (40)	23/32" (18)					
TP4015-01-PLY-SLB	-	1 1/2" (40)	23/32" (18)					
-	TP4020R-01-PLY	2" (50)	1" (25)	PU	PLAIN	40	63	44
TP4020-01-PLY	-	2" (50)	1" (25)					
TP4020-01-PLY-TLB	-	2" (50)	1" (25)					
-	TP4025R-01-PLY	2 1/2" (64)	11/16" (27)	PU	PLAIN	80	83	61
TP4025-01-PLY	-	2 1/2" (64)	11/16" (27)					
TP4025-01-PLY-TLB	-	2 1/2" (64)	11/16" (27)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP4015-01	55 x 38	44 x 27	M4(5/32")
TP4020-01	65 x 48	54 x 24	M6 (1/4")
TP4025-01	98 x 70	76 x 45	M8 (5/16")

경하중용 캐스터 / LIGHT DUTY CASTER

03

03 Series
TP4030SR-TP4030HR
80Kg-100Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: Soft Rubber
Hard Rubber

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP4030R-01-SR	3" (76)	1 1/4" (32)	SOFT RUBBER	PLAIN	65	96	69
TP4030-01-SR	-	3" (76)	1 1/4" (32)					
TP4030-01-SR-SLB	-	3" (76)	1 1/4" (32)					
-	TP4030R-01-HR	3" (76)	1 1/4" (32)	HARD RUBBER	PLAIN	100	96	69
TP4030-01-HR	-	3" (76)	1 1/4" (32)					
TP4030-01-HR-SLB	-	3" (76)	1 1/4" (32)					
-	TP4030R-01-PLY TG	3" (76)	1 1/4" (32)	PU	BALL BEARING	100	96	69
TP4030-01-PLY TG	-	3" (76)	1 1/4" (32)					
TP4030-01-PLY TG-SLB	-	3" (76)	1 1/4" (32)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP4030-01	104 x 79	86 x 60	M8 (5/16")

- Design and Specification can be change during quotation

경하중용 캐스터 / LIGHT DUTY CASTER

04

04 Series

TP3000

30Kg-45Kg



Configured Spesification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size: M4 (3/16")
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	-	-	-	PU	PLAIN	30	56	39
TP3015-01-PLY	-	1 ½" (38)	23/32" (18)					
TP3015-01-PLY -SLB	-	1 ½" (38)	23/32" (18)					
-	-	-	-	PU	PLAIN	35	67	45
TP3020-01-PLY	-	2" (50)	13/16" (20)					
TP3020-01-PLY -SLB	-	2" (50)	13/16" (20)					
-	-	-	-	PU	PLAIN	45	92	60
TP3030-01-PLY	-	3" (76)	13/16" (20)					
TP3030-01-PLY -SLB	-	3" (76)	13/16" (20)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP3000	52 x 32	40 x 21	M4(3/16")

- Design and Spesification can be change during quotation

경하중용 캐스터 / LIGHT DUTY CASTER

05

05 Series

TP3600

45Kg-50Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size: M4 (3/16")
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)



inch(mm)



kg



mm



mm

-	TP3625R-01-PLY TG	2 ½" (64)	1" (25)	PU	PLAIN	45	84	57
TP3625-01-PLY TG	-	2 ½" (64)	1" (25)					
TP3625-01-PLY TG -TLB	-	2 ½" (64)	1" (25)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP3000	52 x 32	40 x 21	M4(3/16")

- Design and Specification can be change during quotation

중하중용캐스터 / Medium Duty Casters

06

06 Series

TP5040SR-TP5040HR

75Kg-115Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: Soft Rubber
Hard Rubber

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP5040R-01-SR	4" (102)	1 1/4" (32)	SOFT RUBBER	PLAIN	75	129	89
TP5040-01-SR	-	4" (102)	1 1/4" (32)					
TP5040-01-SR-SLB	-	4" (102)	1 1/4" (32)					
-	TP5040R-01-HR	4" (102)	1 1/4" (32)	HARD RUBBER	PLAIN	115	129	89
TP5040-01-HR	-	4" (102)	1 1/4" (32)					
TP5040-01-HR-SLB	-	4" (102)	1 1/4" (32)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP5040-01	95 x 64	76~73 x 45	M8(5/16")

- Design and Specification can be change during quotation

중하중용캐스터 / Medium Duty Casters

07

07 Series

TP5030-TP5040-TP5050

100Kg-115Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP5030R-01-PLY TG	3" (76)	1 1/4" (32)	PU	BALL BEARING	75	104	78
TP5030-01-PLY TG	-	3" (76)	1 1/4" (32)					
TP5030-01-PLY TG-TLB	-	3" (76)	1 1/4" (32)					
-	TP5040R-01-PLY TG	4" (102)	1 1/4" (32)	PU	PLAIN	105	129	89
TP5040-01-PLY TG	-	4" (102)	1 1/4" (32)					
TP5040-01-PLY TG-TLB	-	4" (102)	1 1/4" (32)					
-	TP5050R-01-PLY-TG	5" (127)	1 1/4" (32)	PU	BALL BEARING	115	156	101
TP5050-01-PLY-TG	-	5" (127)	1 1/4" (32)					
TP5050-01-PLY-TG-TLB	-	5" (127)	1 1/4" (32)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP5030-40-50	95 x 64	76~73 x 45	M8(5/16")

- Design and Specification can be change during quotation

중하중용캐스터 / Medium Duty Casters

08

08 Series

TP5100

75Kg-85Kg-95Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP5130R-01-PLY	3" (76)	1 1/4" (32)	PU	PLAIN	75	104	73
TP5130-01-PLY	-	3" (76)	1 1/4" (32)					
TP5130-01-PLY -TLB	-	3" (76)	1 1/4" (32)					
-	TP5140R-01-PLY	4" (102)	1 1/4" (32)	PU	PLAIN	85	129	89
TP5140-01-PLY	-	4" (102)	1 1/4" (32)					
TP5140-01-PLY -TLB	-	4" (102)	1 1/4" (32)					
-	TP5150R-01-PLY	5" (127)	1 1/4" (32)	PU	PLAIN	95	156	102
TP5150-01-PLY	-	5" (127)	1 1/4" (32)					
TP5150-01-PLY -TLB	-	5" (127)	1 1/4" (32)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP5030-40-50	95 x 64	76~73 x 45	M8(5/16")

- Design and Specification can be change during quotation

중하중용캐스터 / Medium Duty Casters

09

09 Series

TP5200

100Kg-110Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Ball Bearing
- Bolt Size:
- Wheel Material: PU

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP5230R-01-PLY TG	3" (76)	1 1/4" (32)	PU	BALL BEARING	100	108	70
TP5230-01-PLY TG	-	3" (76)	1 1/4" (32)					
TP5230-01-PLY TG -TLB	-	3" (76)	1 1/4" (32)					
-	TP5250R-01-PLY	5" (127)	1 1/4" (32)	PU	BALL BEARING	110	158	101
TP5250-01-PLY	-	5" (127)	1 1/4" (32)					
TP5250-01-PLY -TLB	-	5" (127)	1 1/4" (32)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP5230-50	95 x 64	76~73 x 45	M8(5/16")

- Design and Specification can be change during quotation

중하중용 캐스터 / Heavy Duty Casters

10

10 Series

TP6061

250Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Ball Bearing
- Bolt Size:
- Wheel Material: PU/ Steel Disc

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP6061R-01-PSD	6" (152)	1 ½" (38)	PU	ROLLER BEARING	250	191	117
TP6061-01-PSD	-	6" (152)	1 ½" (38)					
TP6061-01-PSD -TLB	-	6" (152)	1 ½" (38)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP6240-50-60	110 x 110	90x90 to 75x75	M10(3/8")

- Design and Specification can be change during quotation

중하중용 캐스터 / Heavy Duty Casters

11

11 Series

TP6240-TP6250-TP6260

220Kg-250Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU/ Cast Iron

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP6240R-01-PCI TG	4" (102)	1 ½" (38)	PU	ROLLER BEARING	220	136	86
TP6240-01-PCI TG	-	4" (102)	1 ½" (38)					
TP6240-01-PCI TG -TLB	-	4" (102)	1 ½" (38)					
-	TP6250R-01-PCI TG	5" (127)	1 ½" (38)	PU	ROLLER BEARING	250	161	104
TP6250-01-PCI TG	-	5" (127)	1 ½" (38)					
TP6250-01-PCI TG -TLB	-	5" (127)	1 ½" (38)					
-	TP6260R-01-PCI TG	6" (152)	1 ½" (38)	PU	ROLLER BEARING	250	191	118
TP6260-01-PCI TG	-	6" (152)	1 ½" (38)					
TP6260-01-PCI TG -TLB	-	6" (152)	1 ½" (38)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP6240-50-60	97 x 86	76x58 to 68x66	M10(3/8")

- Design and Specification can be change during quotation

중하중용 캐스터 / Heavy Duty Casters

12

12 Series

TP6640-TP6650-TP6660

320Kg-360Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU/ Cast Iron

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP6640R-01-PCI TG	4" (102)	2" (50)	PU	ROLLER BEARING	320	143	90
TP6640-01-PCI TG	-	4" (102)	2" (50)					
TP6640-01-PCI TG -TLB	-	4" (102)	2" (50)					
-	TP6650R-01-PCI TG	5" (127)	2" (50)	PU	ROLLER BEARING	360	165	108
TP6650-01-PCI TG	-	5" (127)	2" (50)					
TP6650-01-PCI TG -TLB	-	5" (127)	2" (50)					
-	TP6660R-01-PCI TG	6" (152)	2" (50)	PU	ROLLER BEARING	360	187	114
TP6660-01-PCI TG	-	6" (152)	2" (50)					
TP6660-01-PCI TG -TLB	-	6" (152)	2" (50)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP6640-50-60	114 x 102	92x67 to 76x76	M10(3/8")

- Design and Specification can be change during quotation

13

13 Series
TP6680
400Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Roller Bearing
- Bolt Size:
- Wheel Material: PU/ Cast Iron

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP6680R-01-PCI TG	8" (203)	2" (50)	PU	ROLLER BEARING	400	241	165
TP6680-01-PCI TG	-	8" (203)	2" (50)					
TP6680-01-PCI TG -TLB	-	8" (203)	2" (50)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP6640-50-60	114 x 102	92x67 to 76x76	M10(3/8")

14

14 Series TP7040-TP7050-TP7060 320Kg-360Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Roller Bearing
- Bolt Size:
- Wheel Material: PU/ Steel Disc

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP7040R-01-PCI TG	4" (102)	2 (50)	PU	ROLLER BEARING	320	143	87
TP7040-01-PCI TG	-	4" (102)	2 (50)					
TP7040-01-PCI TG-WB	-	4" (102)	2 (50)					
-	TP7050R-01-PCI TG	5" (127)	2 (50)	PU	ROLLER BEARING	360	165	110
TP7050-01-PCI TG	-	5" (127)	2 (50)					
TP7050-01-PCI TG-WB	-	5" (127)	2 (50)					
-	TP7060R-01-PCI TG	6" (152)	2 (50)	PU	ROLLER BEARING	360	191	133
TP7060-01-PCI TG	-	6" (152)	2 (50)					
TP7060-01-PCI TG-WB	-	6" (152)	2 (50)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP7140-60-80	159 x 114	134x86 to 126x62	M10(3/8")

중하중용 캐스터 / Heavy Duty Casters

15

15 Series

TP7080

400Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Roller Bearing
- Bolt Size:
- Wheel Material: PU/ Steel Disc

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)



inch(mm)



kg



mm



mm

-	TP7080R-01-PCI TG	8" (203)	2 (50)	PU	ROLLER BEARING	320	257	159
TP7080-01-PCI TG	-	8" (203)	2 (50)					
TP7080-01-PCI TG-WB	-	8" (203)	2 (50)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP7140-60-80	159 x 114	134x86 to 126x62	M10(3/8")

- Design and Specification can be change during quotation

중하중용 캐스터 / Heavy Duty Casters

16

16 Series

TP7140-TP7160-TP7180

650Kg-720Kg



Configured Specification:

- Caster Type: Plate Type
Unrestricted
- Bearing Structure: Plain
- Bolt Size:
- Wheel Material: PU/ Cast Iron

Application:

- Logistic, Cart
- factory equipment
- Light Weight Transporter
- Furniture Transport, Display Stand



inch(mm)

inch(mm)

kg

mm

mm

-	TP7140R-01-PCI TG	4" (102)	2 ½" (63)	PU	BALL BEARING	650	143	87
TP7140-01-PCI TG	-	4" (102)	2 ½" (63)					
TP7140-01-PCI TG-WB	-	4" (102)	2 ½" (63)					
-	TP7160R-01-PCI TG	6" (152)	2 ½" (63)	PU	BALL BEARING	670	191	133
TP7160-01-PCI TG	-	6" (152)	2 ½" (63)					
TP7160-01-PCI TG-WB	-	6" (152)	2 ½" (63)					
-	TP7180R-01-PCI TG	8" (203)	2 ½" (63)	PU	BALL BEARING	720	257	159
TP7180-01-PCI TG	-	8" (203)	2 ½" (63)					
TP7180-01-PCI TG-WB	-	8" (203)	2 ½" (63)					

Out Diameter	Overall Size	Bolt Hole Spacing	Attaching Bolt Size
TP7140-60-80	159 x 114	134x86 to 126x62	M10(3/8")

- Design and Specification can be change during quotation

Address & Location


PT. DAE BAEK MACHINERY

Jl. Beringin Plot F12/05 Delta Silicon II
Cibatu, Cikarang Selatan, Bekasi 17530